

PRICE LIST 2022

HOM COLLECTION

ELECTRIC TOWEL WARMES and ELECTRIC RADIATORS

SERIE CERAMIC : RESIN FINISH

ANETO ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, stainless steel frame, central insert of cedar wood.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with presence switch+timer;
wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ANETO RESIN WALL VERSION+TIMER	100	1080	80	100	230	Kg. 5	Kg. 7	1130x300x120H	€ 690.00
ANETO RESIN WALL VERSION ON/OFF	100	1080	80	100	230	Kg. 5	Kg. 7	1130x300x120H	€ 590.00
ANETO RESIN CABLE VERSION+PLUG ON/OFF	100	1080	80	100	230	Kg. 5	Kg. 7	1130x300x120H	€ 610.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSOLATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

CUZCO ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 90 cm. power cable.

MODEL	BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
CUZCO RESIN WALL VERSION	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 350.00
CUZCO RESIN CABLE VERSION+PLUG	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 370.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSOLATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

NAZCA ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 90 cm. power cable.

MODEL	BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
NAZCA RESIN WALL VERSION	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 350.00
NAZCA RESIN CABLE VERSION+PLUG	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 370.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSOLATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

ELYSIR S ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame, towel rack in brushed steel.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR S	RESIN WALL VERSION	324	630	98	150	230	Kg. 9	Kg. 12	730x410x130H	€ 710.00
ELYSIR S	RESIN CABLE VERSION+PLUG	324	630	98	150	230	Kg. 9	Kg. 12	730x410x130H	€ 730.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

ELYSIR D ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, painted steel frame, towel rack in brushed steel.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR D	RESIN WALL VERSION	345	1260	95	300	230	Kg. 20	Kg. 24	1450x410x200H	€ 1090.00
ELYSIR D	RESIN CABLE VERSION+PLUG	345	1260	95	300	230	Kg. 20	Kg. 24	1450x410x200H	€ 1110.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN55014-1 EN55014-2 CE

ELYSIR H ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, painted steel frame.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR H	RESIN WALL VERSION	310	1270	55	300	230	Kg. 16	Kg. 20	1450x410x200H	€ 1070.00
ELYSIR H	RESIN CABLE VERSION+PLUG	310	1270	55	300	230	Kg. 16	Kg. 20	1450x410x200H	€ 1090.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN55014-1 EN55014-2 CE

TELIUS S ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame, towel rack in brushed steel.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
TELIUS S	RESIN WALL VERSION	350	805	65-110	150	230	Kg. 12	Kg. 16	870x470x130H	€ 790.00
TELIUS S	RESIN CABLE VERSION+PLUG	350	805	65-110	150	230	Kg. 12	Kg. 16	870x470x130H	€ 810.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

TELIUS D ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, painted steel frame, 2 brushed steel towel rails.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
TELIUS D	RESIN WALL VERSION	350	1470	65-110	300	230	Kg. 23	Kg. 26	1590x480x130H	€ 1250.00
TELIUS S	RESIN CABLE VERSION+PLUG	350	1470	65-110	300	230	Kg. 23	Kg. 26	1590x480x130H	€ 1270.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN55014-1 EN55014-2 CE

KIWI ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.


ACCESSORIES: supplied with 4 magnetic knobs for towel holder.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
KIWI	RESIN WALL VERSION	260	570	30	60	230	Kg. 12	Kg. 16	730x410x130H	€ 690.00
KIWI	RESIN CABLE VERSION+PLUG	260	570	30	60	230	Kg. 12	Kg. 16	730x410x130H	€ 710.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

H TAB 101 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, wall supports in aluminum.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
H TAB 101 RESIN	WALL VERSION	300	630	65/85	100	230	Kg. 5	Kg. 7	730x400x130H	€ 430.00
H TAB 101 RESIN	CABLE VERSION+PLUG	300	630	65/85	100	230	Kg. 5	Kg. 7	730x400x130H	€ 450.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

H TAB 102 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, wall supports in aluminum.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
H TAB 102 RESIN	WALL VERSION	300	630	65/85	100	230	Kg. 5	Kg. 7	730x400x130H	€ 430.00
H TAB 102 RESIN	CABLE VERSION+PLUG	300	630	65/85	100	230	Kg. 5	Kg. 7	730x400x130H	€ 450.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

NESS 50 - 60 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

FINISH: ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: wall version with switch on/off;

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
NESS 50 RESIN	WALL VERSION	480	100	85	40	230	Kg. 2	Kg. 4	520x180x130H	€ 280.00
NESS 60 RESIN	WALL VERSION	630	100	85	50	230	Kg. 3	Kg. 5	800x210x130H	€ 300.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

MODEL: cable version + plug, switch on/off, on request, extra charge € 20.00.

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

TERRA 400 ELECTRIC RADIATOR



MATERIAL: ceramic heating tile, covered in steel, thickness 1.50mm.
PAINTING: ceramic coated with Beton Cirè material resin, water based and natural colors.
MODELS: wall version with switch on/off;
 cable version + plug, switch on/off, with 110 cm. power cable.


MODEL	BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
TERRA 400 WALL VERSION	600	510/600	155	400	230	Kg. 13	Kg. 16	740x740x270H	€ 590.00
TERRA 400 CABLE VERSION+PLUG	600	510/600	155	400	230	Kg. 13	Kg. 16	740x740x270H	€ 610.00

AVAILABLE COLOURS: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 CE

SERIE CERAMIC : RESIN FINISH WITH DECORATION

ELYSIR S ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame, towel rack in brushed steel.
FINISH: ceramic coated in Beton Cirè material resin, water-based and natural colors, with relief resin decoration.
MODELS: wall version with switch on/off;
 cable version + plug, switch on/off, with 110 cm. power cable.

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR S RESIN WALL VERSION	324	630	98	150	230	Kg. 9	Kg. 12	730x410x130H	€ 720.00
ELYSIR S RESIN CABLE VERSION+PLUG	324	630	98	150	230	Kg. 9	Kg. 12	730x410x130H	€ 740.00

AVAILABLE COLOURS: Dark Brown 17_50 +decor Beige 38/ Black 17-00 +decor Pearl Gray 11/ Sand 17_05 + decor Light Green 57

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

ELYSIR D ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, painted steel frame, towel rack in brushed steel.
FINISH: ceramic coated in Beton Cirè material resin, water-based and natural colors, with relief resin decoration.
MODELS: wall version with switch on/off;
 cable version + plug, switch on/off, with 110 cm. power cable.

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR D RESIN WALL VERSION	345	1260	95	300	230	Kg. 20	Kg. 24	1450x410x200H	€ 1150.00
ELYSIR D RESIN CABLE VERSION+PLUG	345	1260	95	300	230	Kg. 20	Kg. 24	1450x410x200H	€ 1170.00

AVAILABLE COLOURS: Dark Brown 17_50 +decor Beige 38/ Black 17-00 +decor Pearl Gray 11/ Sand 17_05 + decor Light Green 57

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN55014-1 EN55014-2 CE

NESS 50 - 60 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

FINISH: ceramic coated in Beton Cirè material resin, water-based and natural colors, with relief resin decoration.

MODELS: wall version.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
NESS 50 RESIN	WALL VERSION	480	100	85	40	230	Kg. 2	Kg. 4	520x180x130H	€ 340.00
NESS 60 RESIN	WALL VERSION	630	100	85	50	230	Kg. 3	Kg. 5	800x210x130H	€ 360.00

AVAILABLE COLOURS: Dark Brown 17_50 +decor Beige 38/ Black 17-00 +decor Pearl Gray 11/ Sand 17_05 + decor Light Green 57

MODEL: cable version + plug, switch on/off, on request, extra charge € 20.00.

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

CUZCO ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

FINISH: ceramic coated in Beton Cirè material resin, water-based and natural colors, with relief resin decoration.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 90 cm. power cable.


MODEL		BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
CUZCO RESIN	WALL VERSION	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 400.00
CUZCO RESIN	CABLE VERSION+PLUG	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 420.00

AVAILABLE COLOURS: Dark Brown 17_50 +decor Beige 38/ Black 17-00 +decor Pearl Gray 11/ Sand 17_05 + decor Light Green 57

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

SERIE CERAMIC : GLOSSY & MATT FINISH

ANETO ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, stainless steel frame, central insert of cedar wood.

PAINTING GLOSSY FINISH: water double layer with transparent polyurethane finish.

MATT FINISH: water double layer with matt finish.

MODELS: wall version with presence switch+timer;
wall version with switch on/off;
cable version + plug, switch on/off, with 110 cm. power cable.

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE GLOSSY	PRICE MATT
ANETO WALL VERSION+TIMER	100	1080	80	100	230	Kg. 5	Kg. 7	1130x300x120H	€ 690.00	€ 740.00
ANETO WALL VERSION ON/OFF	100	1080	80	100	230	Kg. 5	Kg. 7	1130x300x120H	€ 590.00	€ 640.00
ANETO CABLE VERSION+PLUG ON/OFF	100	1080	80	100	230	Kg. 5	Kg. 7	1130x300x120H	€ 610.00	€ 660.00

AVAILABLE COLOURS GLOSSY: White Ral 9003/ Black Slate Ral 7021.

AVAILABLE COLOURS MATT: White Ral 9003/ Black Slate Ral 7021/ Dark Brown Ral 8019/ Light Blue Ral 5014/ Pearl Gray Ral 7040/ Graphite Ral 7012.

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

CUZCO ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

PAINTING GLOSSY FINISH: water double layer with transparent polyurethane finish.

MATT FINISH: water double layer with matt finish.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 90 cm. power cable.

MODEL	BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE GLOSSY	PRICE MATT
CUZCO WALL VERSION	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 350.00	€ 380.00
CUZCO CABLE VERSION+PLUG	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 370.00	€ 400.00

AVAILABLE COLOURS GLOSSY: White Ral 9003/ Black Slate Ral 7021/Sage Green Ral 6021/ Light Blue Ral 5014.

AVAILABLE COLOURS MATT: White Ral 9003/ Black Slate Ral 7021/ Dark Brown Ral 8019/ Light Blue Ral 5014/ Pearl Gray Ral 7040/ Graphite Ral 7012.

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

NAZCA ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

PAINTING GLOSSY FINISH: water double layer with transparent polyurethane finish.

MATT FINISH: water double layer with matt finish.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 90 cm. power cable.

MODEL	BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE GLOSSY	PRICE MATT
NAZCA WALL VERSION	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 350.00	€ 380.00
NAZCA CABLE VERSION+PLUG	240	295	65	70	230	Kg. 3	Kg. 5	390x360x120H	€ 370.00	€ 400.00

AVAILABLE COLOURS GLOSSY: White Ral 9003/ Black Slate Ral 7021/Sage Green Ral 6021/ Light Blue e Ral 5014.

AVAILABLE COLOURS MATT: White Ral 9003/ Black Slate Ral 7021/ Dark Brown Ral 8019/ Light Blue Ral 5014/ Pearl Gray Ral 7040/ Graphite Ral 7012.

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

NESS 50 – 60 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

PAINTING GLOSSY FINISH: water double layer with transparent polyurethane finish.

MATT FINISH: water double layer with matt finish.

MODELS: wall version with switch on/off.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE GLOSSY	PRICE MATT
NESS 50	WALL VERSION	480	100	85	40	230	Kg. 2	Kg. 4	520x180x130H	€ 280.00	€ 310.00
NESS 60	WALL VERSION	630	100	85	50	230	Kg. 3	Kg. 5	800x210x130H	€ 300.00	€ 330.00

AVAILABLE COLOURS GLOSSY: White Ral 9003/ Black Slate Ral 7021.

AVAILABLE COLOURS MATT: White Ral 9003/ Black Slate Ral 7021/ Dark Brown Ral 8019/ Light Blue Ral 5014/ Pearl Gray Ral 7040/ Graphite Ral 7012.

MODEL: cable version + plug, switch on/off, on request, extra charge € 20.00.

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

ZIG ZAG ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating object.

PAINTING: 100% handcrafted glazed ceramic with pouring effect.

POWER ON: ON / OFF foot switch, power cable 300 cm.

MODEL		BASE MM	HEIGHT MM	DIAMETER MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ZIG ZAG	CABLE VERSION+PLUG	400	480	444	100	230	Kg. 20	Kg. 25	500x500x560H	€ 990.00

AVAILABLE COLOURS: Ivory Ral 9003/Bleu Navy Ral 5022/Walnut Ral 8016.

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

SERIE CERAMIC : MATT FINISH

ELYSIR S ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame, towel rack in brushed steel.

PAINTING GLOSSY FINISH: water double layer with transparent polyurethane finish.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110cm. power cable.

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR S MATT WALL VERSION	324	630	98	150	230	Kg. 9	Kg. 12	730x410x130H	€ 760.00
ELYSIR S MATT CABLE VERSION+PLUG	324	630	98	150	230	Kg. 9	Kg. 12	730x410x130H	€ 780.00

AVAILABLE COLOURS MATT: White Ral 9003/ Black Slate Ral 7021/ Dark Brown Ral 8019 / Light Blue Ral 5014/ Pearl Gray Ral 7040/ Graphite Ral 7012

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

ELYSIR D ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, painted steel frame, towel rack in brushed steel.

PAINTING GLOSSY FINISH: water double layer with transparent polyurethane finish.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110cm. power cable.

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR D MATT WALL VERSION	345	1260	95	300	230	Kg. 18	Kg. 24	1450x410x200H	€ 1190.00
ELYSIR D MATT CABLE VERSION+PLUG	345	1260	95	300	230	Kg. 18	Kg. 24	1450x410x200H	€ 1210.00

AVAILABLE COLOURS MATT: White Ral 9003/ Black Slate Ral 7021/ Dark Brown Ral 8019 / Light Blue Ral 5014/ Pearl Gray Ral 7040/ Graphite Ral 7012

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN55014-1 EN55014-2 CE

ELYSIR H ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, painted steel frame.

PAINTING GLOSSY FINISH: water double layer with transparent polyurethane finish.

MODELS: wall version with switch on/off;
cable version + plug, switch on/off, with 110cm. power cable.

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
ELYSIR H MATT WALL VERSION	310	1270	55	300	230	Kg. 16	Kg. 20	1450x410x200H	€ 1170.00
ELYSIR H MATT CABLE VERSION+PLUG	310	1270	55	300	230	Kg. 16	Kg. 20	1450x410x200H	€ 1190.00

AVAILABLE COLOURS MATT: White Ral 9003/ Black Slate Ral 7021/ Dark Brown Ral 8019 / Light Blue Ral 5014/ Pearl Gray Ral 7040/ Graphite Ral 7012

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN55014-1 EN55014-2 CE

SERIE STEEL

SEVEN-T ELECTRIC RADIATOR



MATERIAL: ceramic heating tile, covered in steel, thickness 1.50mm.

FINISH: ecological QUALICOAT powder coating matt effect;

MODELLI: power **500Watt**; power **700Watt**, power **1000Watt**;

wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

version with LED lights with separate power switch.

ACCESSORIES:

digital thermostat WATTS with receiver, description page "Accessories".

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
SEVEN-T 500W	530	1160	60	500	230	Kg. 35	Kg. 44	1400x700x130H	€ 1690.00
SEVEN-T WITH LED LIGHT 500W	530	1160	60	500	230	Kg. 35	Kg. 44	1400x700x130H	€ 1790.00
SEVEN-T 700W	530	1160	60	700	230	Kg. 35	Kg. 44	1400x700x130H	€ 1790.00
SEVEN-T WITH LED LIGHT 700W	530	1160	60	700	230	Kg. 35	Kg. 44	1400x700x130H	€ 1890.00
SEVEN-T 1000W	530	1160	60	1000	230	Kg. 35	Kg. 44	1400x700x130H	€ 1890.00
SEVEN-T WITH LED LIGHT 1000W	530	1160	60	1000	230	Kg. 35	Kg. 44	1400x700x130H	€ 1990.00
DIGITAL THERMOSTAT WATTS	DISPLAY		BT D02 RF						€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS	DISPLAY		BT DP02 RF						€ 185.00
WIRELESS RECEIVER	RECEIVER		BT WR02 RF						€ 140.00

AVAILABLE COLORS SATIN PAINT: Free RAL choice.

MODEL: cable version + plug, switch on/off, on request, extra charge € 20.00.

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 CE

RAME' ELECTRIC RADIATOR



MATERIAL: ceramic heating tile, covered in steel, thickness 1.50mm.

FINISH:

Painting anti-scratch **satin finish** QUALICOAT polyester powder coating;

Resin, ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: power **1000Watt**; power **1500Watt**;

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES:

digital thermostat WATTS with receiver, description page "Accessories"

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE PAINT	PRICE RESIN
RAME' 1000	830	430	95	1000	230	Kg. 21	Kg. 24	870x470x130H	€ 820.00	€ 900.00
RAME' 1500	830	430	95	1500	230	Kg. 21	Kg. 24	870x470x130H	€ 860.00	€ 940.00
DIGITAL THERMOSTAT WATTS	DISPLAY		BT D02 RF						€ 150.00	
DIGITAL CHRONO THERMOSTAT WATTS	DISPLAY		BT DP02 RF						€ 185.00	
WIRELESS RECEIVER	RECEIVER		BT WR02 RF						€ 140.00	

AVAILABLE COLOURS SATIN FINISH: Milk White Ral 9001/Black Slate Ral 7021.

AVAILABLE COLOURS RESIN FINISH: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 CE

FIDO ELECTRIC RADIATOR



MATERIALE: ceramic heating tile, covered with 2 steel panels, thickness 1.50mm

FINISH:

Painting anti-scratch **satin finish** QUALICOAT polyester powder coating;

Resin, ceramic coated with Beton Cirè material resin, water based and natural colors.

MODELS: power **1000Watt**; power **1500Watt**

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES:

digital thermostat WATTS with receiver, description page "Accessories"

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE PAINT	PRICE RESIN
FIDO 1000W	830	500	100	1000	230	Kg. 30	Kg. 34	870x470x130H	€ 930.00	€ 1030.00
FIDO 1500W	830	500	100	1500	230	Kg. 30	Kg. 34	870x470x130H	€ 980.00	€ 1080.00
DIGITAL THERMOSTAT WATTS		DISPLAY		BT D02 RF						€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS		DISPLAY		BT DP02 RF						€ 185.00
WIRELESS RECEIVER		RECEIVER		BT WR02 RF						€ 140.00

AVAILABLE COLOURS SATIN FINISH: Milk White Ral 9001/Black Slate Ral 7021.

AVAILABLE COLOURS RESIN FINISH: Pearl Gray 17_11/ London Gray 17_19/ Anthracite Gray 17_26 / Dark Brown 17_50 / Sand 17_05/ Pastel Violet 17_17/ Azure Blue 17_09/ Sage Green 17_43/ Black 17_00/ White 17_0B

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 CE

SHIELD 300 ELECTRIC RADIATOR



MATERIAL: ceramic heating tile, covered in steel, thickness 1.50mm.

PAINTING: anti-scratch satin finish QUALICOAT polyester powder coating.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

MODEL	BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
SHIELD 300 WALL VERSION	300	457	180	300	230	Kg. 8	Kg. 10	500x500x230H	€ 520.00
SHIELD 300 CABLE VERSION+PLUG	300	457	180	300	230	Kg. 8	Kg. 10	500x500x230H	€ 540.00

AVAILABLE COLOURS: Milk White Ral 9001/Black Slate Ral 7021.

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 CE

SHIELD 100 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile, covered in steel, thickness 1.50mm.

PAINTING: anti-scratch satin finish QUALICOAT polyester powder coating.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

MODEL	BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
SHIELD 100 WALL VERSION	300	457	180	100	230	Kg. 6	Kg. 8	500x500x230H	€ 420.00
SHIELD 100 CABLE VERSION+PLUG	300	457	180	100	230	Kg. 6	Kg. 8	500x500x230H	€ 440.00

AVAILABLE COLOURS: Milk White Ral 9001/Black Slate Ral 7021/Bleu Navy Ral 5003.

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN 55014-1 EN55014-2 CE

H PAD ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile, covered in steel, thickness 1.50mm.

PAINTING: anti-scratch satin finish QUALICOAT polyester powder coating.

MODELS: wall version with switch on/off.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
H PAD	WALL VERSION	500	40	265	100	230	Kg. 8	Kg. 11	540x340x100H	€ 430.00


AVAILABLE COLOURS: Milk White Ral 9001/ Black Slate Ral 7021.

MODEL: cable version + plug, switch on/off, on request, extra charge € 20.00.

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

SERIE MIRROR

MIROS O ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, painted steel frame.

COATING: mirror 6mm.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 90 cm. power cable.

Miros O 3.0: Diameter 31.5cm.

Miros O 4.0: Diameter 40cm.

MODEL		BASE MM	DIAMETER MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
MIROS O 3.0	WALL VERSION	240	315	75	70	230	Kg. 4	Kg. 6	390x360x120H	€ 450.00
MIROS O 3.0	CABLE VERSION+PLUG	240	315	75	70	230	Kg. 4	Kg. 6	390x360x120H	€ 470.00
MIROS O 4.0	WALL VERSION	240	400	75	70	230	Kg. 6	Kg. 8	410x410x120H	€ 500.00
MIROS O 4.0	CABLE VERSION+PLUG	240	400	75	70	230	Kg. 6	Kg. 8	410x410x120H	€ 520.00

AVAILABLE COLOURS : Bronze/ Silver

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARD EN60335-1 EN60335-2-43 EN55014-1 EN55014-2 CE

MIROS L ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, painted steel frame.

COATING: mirror 6mm.

MODELS: version Vertical and version Horizontal;

power 400Watt; power 700Watt;

wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES:

digital thermostat WATTS with receiver, description page "Accessories"

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
MIROS L 400	WALL VERSION	400	1400	65	400	230	Kg. 27	Kg. 32	1520x480x130H	€ 1040.00
MIROS L 400	CABLE VERSION+PLUG	400	1400	65	400	230	Kg. 27	Kg. 32	1520x480x130H	€ 1060.00
MIROS L 700	WALL VERSION	400	1400	65	700	230	Kg. 27	Kg. 32	1520x480x130H	€ 1140.00
MIROS L 700	CABLE VERSION+PLUG	400	1400	65	700	230	Kg. 27	Kg. 32	1520x480x130H	€ 1160.00
DIGITAL THERMOSTAT WATTS		DISPLAY		BT D02 RF						€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS		DISPLAY		BT DP02 RF						€ 185.00
WIRELESS RECEIVER		RECEIVER		BT WR02 RF						€ 140.00

AVAILABLE COLOURS : Bronze/ Silver

INSULATION CLASS CL.I CL. II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN55014-1 EN55014-2 CE

SERIE CEDAR WOOD

SEGRETO ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 40mm.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
SEGRETO	WALL VERSION	750	53	245	150	230	Kg. 10	Kg. 13	850x300x130H	€ 490.00
INSULATION CLASS	CL.I CL. II	PROTECTION CLASS	IP 24	STANDARDS	EN60335-1	EN60335-2-43	EN 55014-1	EN55014-2	CE	

XILO HORIZONTAL 350 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 40mm, painted steel frame.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES:

towel bar, brushed steel 730X10mm, depth 47mm.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
XILO 350 HORIZ.	WALL VERSION	800	400	80	350	230	Kg. 10	Kg. 13	870x470x130H	€ 590.00
XILO 350 HORIZ.	CABLE VERSION+PLUG	800	400	80	350	230	Kg. 10	Kg. 13	870x470x130H	€ 610.00
BAR BRINGS TOWEL	FOR XILO ORIZZONTALE		ACCS001434		730x10mm		Kg. 1	Kg. 14	880x480x200H	€ 150.00
INSULATION CLASS	CL.I CL. II	PROTECTION CLASS	IP 24	STANDARDS	EN60335-1	EN60335-2-43	EN 55014-1	EN55014-2	CE	

XILO VERTICAL 350 ELECTRIC TOWEL WARMERS



MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 40mm, painted steel frame.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES:

towel bar, brushed steel 730X10mm, depth 47mm.

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
XILO 350 VERTIC.	WALL VERSION	400	800	80	350	230	Kg. 10	Kg. 13	870x470x130H	€ 590.00
XILO 350 VERTIC.	CABLE VERSION+PLUG	400	800	80	350	230	Kg. 10	Kg. 13	870x470x130H	€ 610.00
BAR BRINGS TOWEL	FOR XILO VERTICAL		ACCS001431		330x10mm		Kg. 1	Kg. 14	880x480x200H	€ 145.00
INSULATION CLASS	CL.I CL. II	PROTECTION CLASS	IP 24	STANDARDS	EN60335-1	EN60335-2-43	EN 55014-1	EN55014-2	CE	

XILO HORIZONTAL 500 ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 40mm, painted steel frame.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES:

towel bar, brushed steel 730x10mm, depth 47mm.;

digital thermostat WATTS with receiver, description page "Accessories".

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
XILO 500 HORIZ. WALL VERSION	800	400	80	500	230	Kg. 12	Kg. 15	870x470x130H	€ 690.00
XILO 500 HORIZ. CABLE VERSION+PLUG	800	400	80	500	230	Kg. 12	Kg. 15	870x470x130H	€ 710.00
BAR BRINGS TOWEL FOR XILO HORIZONTAL			ACCS001434	730x10mm		Kg. 1	Kg. 16	880x480x200H	€ 150.00
DIGITAL THERMOSTAT WATTS		DISPLAY		BT D02 RF					€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS		DISPLAY		BT DP02 RF					€ 185.00
WIRELESS RECEIVER		RECEIVER		BT WR02 RF					€ 140.00
INSULATION CLASS CL.I CL.II	PROTECTION CLASS	IP 24	STANDARDS	EN60335-1	EN60335-2-30	EN 55014-1	EN55014-2	CE	

XILO VERTICAL 500 ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 40mm, painted steel frame.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES:

towel bar, brushed steel 330x10mm, depth 47mm.;

digital thermostat WATTS with receiver, description page "Accessories".

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
XILO 500 VERTIC. WALL VERSION	400	800	80	500	230	Kg. 12	Kg. 15	870x470x130H	€ 690.00
XILO 500 VERTIC. CABLE VERSION+PLUG	400	800	80	500	230	Kg. 12	Kg. 15	870x470x130H	€ 710.00
BAR BRINGS TOWEL FOR XILO VERTICAL			ACCS001431	330x10mm		Kg. 1	Kg. 16	880x480x200H	€ 145.00
DIGITAL THERMOSTAT WATTS		DISPLAY		BT D02 RF					€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS		DISPLAY		BT DP02 RF					€ 185.00
WIRELESS RECEIVER		RECEIVER		BT WR02 RF					€ 140.00
INSULATION CLASS CL.I CL.II	PROTECTION CLASS	IP 24	STANDARDS	EN60335-1	EN60335-2-30	EN 55014-1	EN55014-2	CE	

XILO S ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 40mm, painted steel frame.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

ACCESSORIES: robe hook, brushed steel or black painted;

digital thermostat WATTS with receiver, description page "Accessories".

MODEL	BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
XILO S WALL VERSION	260	1475	80	300	230	Kg. 18	Kg. 23	1590x370x130H	€ 990.00
XILO S CABLE VERSION+PLUG	260	1475	80	300	230	Kg. 18	Kg. 23	1590x370x130H	€ 1010.00
ROBE HOOK BRUSHED STEEL			ACCS0001830						€ 40.00
ROBE HOOK BLACK PAINTED			ACCS0001831						€ 40.00
DIGITAL THERMOSTAT WATTS		DISPLAY		BT D02 RF					€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS		DISPLAY		BT DP02 RF					€ 185.00

XILO L ELECTRIC RADIATOR

MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 50mm, painted steel frame.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off;

cable version + plug, switch on/off, with 110 cm. power cable.

Power: **700Watt / 1000Watt**

ACCESSORIES:

towel bar, brushed steel 330x10mm, depth 47mm.;

robe hook, brushed steel or black painted;

digital thermostat WATTS with receiver, description page 14 "Accessories".

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
XILO L 700	WALL VERSION	450	1470	100	700	230	Kg. 25	Kg. 30	1590x480x130H	€ 1150.00
XILO L 700	CABLE VERSION+PLUG	450	1470	100	700	230	Kg. 25	Kg. 30	1590x480x130H	€ 1170.00
XILO L 1000	WALL VERSION	450	1470	100	1000	230	Kg. 25	Kg. 30	1590x480x130H	€ 1250.00
XILO L 1000	CABLE VERSION+PLUG	450	1470	100	1000	230	Kg. 25	Kg. 30	1590x480x130H	€ 1270.00
BAR BRINGS TOWEL	BRUSHED STEEL			ACC5001431	330x10mm		Kg. 1	Kg. 31	1590X480X130H	€ 145.00
ROBE HOOK	BRUSHED STEEL			ACC50001830						€ 40.00
ROBE HOOK	BLACK PAINTED			ACC50001831						€ 40.00
DIGITAL THERMOSTAT WATTS			DISPLAY		BT D02 RF					€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS			DISPLAY		BT DP02 RF					€ 185.00
WIRELESS RECEIVER			RECEIVER		BT WR02 RF					€ 140.00
INSULATION CLASS	CL.I CL.II		PROTECTION CLASS	IP 24	STANDARDS	EN60335-1	EN60335-2-30	EN 55014-1	EN55014-2	CE

MAXI XILO ELECTRIC RADIATOR

MATERIAL: ceramic heating tile 15mm, covered cedar wood panel 80mm, painted steel frame.

FINISH: natural wax treatment.

MODELS: wall version with switch on/off.

Power: **1050Watt / 1500Watt**

ACCESSORIES:

digital thermostat WATTS with receiver, description page 14 "Accessories".

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
MAXI XILO 1000	WALL VERSION	900	1200	140	1050	230	Kg. 45	Kg. 55	1400x1000x170H	€ 3100.00
MAXI XILO 1500	WALL VERSION	900	1200	140	1500	230	Kg. 45	Kg. 55	1400x1000x170H	€ 3200.00
DIGITAL THERMOSTAT WATTS			DISPLAY		BT D02 RF					€ 150.00
DIGITAL CHRONO THERMOSTAT WATTS			DISPLAY		BT DP02 RF					€ 185.00
WIRELESS RECEIVER			RECEIVER		BT WR02 RF					€ 140.00

VERSION: cable + plug, switch on/off, on request.

PACKING COST: € 150.00 packed in a wooden case.

INSULATION CLASS CL.I CL.II PROTECTION CLASS IP 24 STANDARDS EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 CE

SERIE CONNUBIO

CONNUBIO ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, support frame and base in painted steel.

PAINTING: ceramic coated with Beton Cirè material resin, water based and natural colors; steel parts anti-scratch satin finish QUALICOAT polyester powder coating.

POWER ON: adjustable sliding button switch from 100 watt to 1000 / 1500watt, power cable 3mt.

LIGHTING: nr.2 light projectors, 5 Watt led each and 19Watt power supply.

MODELS:

power **1000Watt** (10 resin disks)

power **1000Watt, with lighting** (10 resin disks)

power **1500Watt** (12 resin disks)

power **1500Watt, with lighting** (12 resin disks)

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
CONNUBIO	1000WATT	516	1637	60	1000	230	Kg. 38	Kg. 90	600x700x2000H	€ 3900.00
CONNUBIO	1000WATT+LIGHT	516	1637	60	1000	230	Kg. 38	Kg. 90	600x700x2000H	€ 4400.00
CONNUBIO	1500WATT	516	1952	60	1500	230	Kg. 45	Kg. 95	600x700x2000H	€ 4200.00
CONNUBIO	1500WATT+LIGHT	516	1952	60	1500	230	Kg. 45	Kg. 95	600x700x2000H	€ 4700.00

AVAILABLE COLOURS: steel Dark Gray Ral 7022, resin Anthracite Gray 17_26/ steel Brown Ral 8019, resin Sand 17_05.

PACKING COST: € 150.00 packed in a wooden case.

INSULATION CLASS CL.I CL.II **PROTECTION CLASS** IP 24 **STANDARDS** EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 **CE**

CONNUBIO CRYSTAL ELECTRIC RADIATOR



MATERIAL: ceramic heating tile 15mm, support frame and base in painted steel.

COATING: mirror 6mm.

POWER ON: adjustable sliding button switch from 100 watt to 1000 / 1500watt, power cable 3mt.

LIGHTING: nr.2 light projectors, 5 Watt led each and 19Watt power supply.

MODELS:

power **1000Watt** (mirror disks)

power **1000Watt, with lighting** (mirror disks)

MODEL		BASE MM	HEIGHT MM	DEPTH MM	POWER WATT	VOLT V	NET WEIGHT	GROSS WEIGHT	PACKAGING MM	PRICE €
CONNUBIO CRYSTAL	1000WATT	516	1740	70	1000	230	Kg. 45	Kg. 99	600x700x2000H	€ 4450.00
CONNUBIO CRYSTAL	1000WATT+LIGHT	516	1740	70	1000	230	Kg. 45	Kg. 99	600x700x2000H	€ 4950.00

AVAILABLE COLOURS: steel Dark Gray Ral 7022, mirror Silver/ steel Brown Ral 8019, mirror Smoked bronze.

PACKING COST: € 150.00 packed in a wooden case.

INSULATION CLASS CL.I CL.II **PROTECTION CLASS** IP 24 **STANDARDS** EN60335-1 EN60335-2-30 EN 55014-1 EN55014-2 **CE**

ACCESSORIES

THERMOSTAT

WATTS Thermostat for models: Ramè, Fido, Miros L, Seven-T, Xilo 500 Horizontal /Vertical, Xilo S, Xilo L, MaxiXilo.



Electronic thermostat Wireless digital display
2 programs to manage the room temperature

DIGITAL THERMOSTAT WATTS	DISPLAY	BT D02 RF	TMST000142	€ 150.00
--------------------------	---------	-----------	------------	----------



Wireless digital room thermostat
9 programs to manage the room temperature and program times and days of switching on/off

DIGITAL CHRONO THERMOSTAT WATTS	DISPLAY	BT DP02 RF	TMST000113	€ 185.00
---------------------------------	---------	------------	------------	----------



Wireless receiver; compatible with thermostats:
BT D02 RF
BT DP02 RF

WIRELESS RECEIVER WATTS	RICEVITORE	BT WR02 RF	TMST000114	€ 140.00
-------------------------	------------	------------	------------	----------

TOWEL HOLDER



Brushed steel towel holder hook for XILO models
ACCS001830

€ 40.00



Matt black painted steel towel holder hook for XILO models
ACCS001831

€ 40.00



Towel bar, brushed steel 330MM for Xilo Vertical and Xilo L models
ACCS001431 330x10mm

€ 145.00



Towel bar, brushed steel 730MM for Xilo Horizontal model
ACCS001434 730x10mm

€ 150.00

PRICE LIST 01/02/2022.

All prices are in **EURO (€)**; **VAT** and **TRANSPORT** excluded.

IGNITION: each element is equipped with on / off switch.

VARIANTS COLORS: in addition to the standard colors defined in the price list, valid for glossy ceramic, matt effect ceramic and resin, it is possible to produce the RAL color scale, 20% surcharge for the product.

ASSEMBLY KIT: each package contains: supports, wall plugs, screws for assembly and instruction booklet.

PACKAGING: protection with expanded bag, sponge packaging and packed in a cardboard box, on wooden board or wood box.

TRANSPORT: shipments are made by our courier, with invoice charge, calculated volume / weight of the package including the platform.

WARRANTY: the warranty is that required by law, 2 YEARS. The warranty starts from the date of purchase, proven by a document with fiscal validity (invoice, receipt or sales receipt) indicating the product itself.

CONDITIONS OF SALE

GENERALITY

The conditions listed below are valid for all sales of Rotfli Srl HOM products

TERMS OF PAYMENT

The payment conditions must be respected even if delivery delays occur after shipment from the factory.

It is not allowed to withhold or reduce the amount to be paid for credit notes not yet issued.

By express agreement, the obligation to pay rests with the customer even in the event of a dispute and whatever the nature and importance of this.

Payments must be made to ROTFIL s.r.l. Via Praglia 15 10044 Pianezza (TO) Italy, in legal currency.

PACKAGING

To avoid accidental damage during shipping, the products are protected with a foam envelope, cardboard packaging, cardboard box packaging and laying on a wooden platform.

Packaging is generally included in the sale price.

Special packaging will be invoiced separately.

SHIPMENT

The goods must be checked upon delivery, checking the integrity of the packaging, missing items in the presence of the carrier.

Any dispute must be reported immediately to the carrier / courier by signing the DDT with reserve.

SHIPPING COST

Transport costs calculated for each item.

Each voluminous package or over 20Kg. it is placed on a wooden platform due to the fragility of the content.

TERMS OF DELIVERY

Delivery terms are always intended as approximate.

HOM assumes no responsibility in case of delay in delivery.

Therefore, we do not accept claims for damages, payment of penalties or order cancellations if the delivery deadline is not respected.

If the ordered goods are not collected within the agreed period, they will be invoiced and stored with costs, risk and danger borne by the customer.

Extraordinary events such as natural disasters, strikes, lack of raw materials due to force majeure, free HOM from any delivery deadline.

CLAIMS

The Customer is obliged to immediately check the goods upon arrival.

If the goods do not correspond to the delivery documents or have visible defects, the Customer must notify HOM in writing within 8 days of receipt of the goods.

No complaints will be accepted after this deadline.

No complaints will be accepted for goods altered or damaged by third parties or by the Customer himself.

Non-visible defects must be communicated in writing to HOM within 8 days of discovery.

RETURNS

The return of products can only take place after agreement with HOM under the following conditions.

- Returns must be accompanied by Ddt, transport document
- Returns must be ex-works HOM
- They are returned items only products in the catalog, new from factory and not tampered with.
- Non-standard returns are not accepted

The return must be made with the same packaging as the shipment, box + packaging + platform, returns are not allowed except as indicated above.

Any exchange of goods will take place only after the return of the defective goods to the warehouse.

WARRANTY

HOM guarantees the products in this catalog.

The guarantee is 2 years.

The warranty starts from the date of purchase, proven by a document with fiscal validity (invoice, receipt or sales receipt) indicating the product itself.

In the event of defects in material or workmanship, HOM will provide free replacement of the defective parts or replacement or repair of the entire product.

Any replacement of defective products or components of the aforementioned products will not extend the original warranty term.

The warranty of the parts or its products will therefore cease at the end of the warranty period granted at the time of sale.

THE WARRANTY DOES NOT APPLY IN THE EVENT OF:

- failure to comply with the installation instructions and standards contained in the manual attached to the product or in the technical documentation;
- failure to comply with the operating and maintenance prescriptions reported in the manual supplied with the product;
- damage to the product due to interventions by unauthorized or professionally not competent personnel;
- anomalies or failures dependent on the power supply network;
- use of parts or spare parts that are not original or not authorized by HOM;
- damage caused by accidents, fires, natural disasters, accidents in general;
- breakage occurred during transport.

ORDERS AND ORDER CONFIRMATIONS

Orders will be bound only after the HOM order confirmation has been issued.

Cancellations or changes may affect the previously set delivery date.

PRICES

Prices are in Euros

The prices are intended ex works of the Company.

Prices are always shown in the price list net of VAT.

The prices of the products do not include accessories supplied if not expressly mentioned.

RESERVE OF OWNERSHIP

Until the transfer of ownership, the Customer must carefully preserve the products and their packaging, taking on the role of custodian.

COMPETENT FORUM

For any dispute, the only competent court is that of Turin.